

Lesson 4: Numbers Raised to the Zeroth Power

Classwork

For any numbers x , y , and any positive integers m , n , the following holds:

$$x^m \cdot x^n = x^{m+n} \quad (1)$$

$$(x^m)^n = x^{mn} \quad (2)$$

$$(xy)^n = x^n y^n \quad (3)$$

Definition: _____

Exercise 1

List all possible cases of whole numbers m and n for identity (1). More precisely, when $m > 0$ and $n > 0$, we already know that (1) is correct. What are the other possible cases of m and n for which (1) is yet to be verified?

Exercise 2

Check that equation (1) is correct for each of the cases listed in Exercise 1.

Exercise 3

Do the same with equation (2) by checking it case-by-case.

Exercise 4

Do the same with equation (3) by checking it case-by-case.

Exercise 5

Write the expanded form of 8,374 using the exponential notation.

Exercise 6

Write the expanded form of 6,985,062 using the exponential notation.

Problem Set

Let x, y be numbers ($x, y \neq 0$). Simplify each of the following expressions of numbers.

1. $\frac{y^{12}}{y^{12}} =$	2. $9^{15} \cdot \frac{1}{9^{15}} =$
3. $(7(123456.789)^4)^0 =$	4. $2^2 \cdot \frac{1}{2^5} \cdot 2^5 \cdot \frac{1}{2^2} =$
5. $\frac{x^{41}}{y^{15}} \cdot \frac{y^{15}}{x^{41}} =$	